

Printable RFID Wristband

JYL-WT03

Printing :

- Thermal Printing

Personalization :

- QR code
- Barcode
- Serial Number Encoding
- Serial (UID) Number Database
- Laser Serial Number Printing

* Customized Shape upon request



JYL-Tech JYL-WT03 RFID printable wristband features an RFID transponder and direct thermal print surface for on-demand printing and encoding. Program your facilities thermal printer to include your venue logo, event dates, expiration dates, special offers, and bar codes.

Description:

1. Thermal printable, Printing clear and easy scanning
2. Nano silica gel materials, Particle hole design, soft and durable
3. Waterproof and anti-alcohol
4. FAD approved, Antibacterial allergy
5. Double buckle design, Easy and comfortable to wear
6. Exclusive Red buckle which can distinguish between allergy patients
7. Ideal used for Hospital, festival event , Theme park ticket and etc.

Chip available:

- HF
- UHF

Artwork Specifications:

CDR, PDF or AI files are required
 Tones and screens need to be converted to solids
 Broken lines, weak lines, or smeared art cannot be imprinted
 Outline all fonts in the artwork files

Standard Features:

- Size: 270*35mm
- Material: Synthetic Paper
- Buckle: Butterfly Buckle
- MOQ: 50000PCS
- Protection Class: IP66
- Operating Temperature: -30~80°C
- Storage Temperature: -25~140°C
- Net Weight: Approx 0.002g/Piece
- Package: 500 or 1000 Per Roll. 5000pcs Per Carton
- Lead Time: Ships 12 days from date of artwork approval & payment terms
- Warranty : 1 Year

L270*35mm



Preferred File Formats

Format	Description	Note
CDR	CorelDRAW	Convert text to outlines
AI	Adobe Illustrator	Convert text to outlines

Applications :

- Cashless Payments
- Access Control & Security
- Event management
- Hospital

The information contained on this Document is considered to be confidential material proprietary to JYL-Tech, and this information shall not be disclosed, duplicated or copied for any purpose, Nor made available for any third party without the prior consent to JYL-Tech.